American Heart Association Journal: Thrombosis, Cardiomyopathy, and Other Vascular Events Following Vaccination.

Description



The American Heart Association Journal, *Circulation*, has just published an abstract on mRNA COVID-19 shots that UK medical doctor Vernon Coleman has stated: <u>Finally! Medical Proof the Covid Jab is</u> <u>"Murder"</u>

Here is the Abstract:

Abstract

Our group has been using the PLUS Cardiac Test (GD Biosciences, Inc, Irvine, CA) a clinically validated measurement of multiple protein biomarkers which generates a score predicting the 5 yr risk (percentage chance) of a new Acute Coronary Syndrome (ACS). The score is based on changes from the norm of multiple protein biomarkers including IL-16, a proinflammatory cytokine, soluble Fas, an inducer of apoptosis, and Hepatocyte Growth Factor (HGF)which serves as a marker for chemotaxis of T-cells into epithelium and cardiac tissue, among other markers. Elevation above the norm increases the PULS score, while decreases below the norm lowers the PULS score. The score has been measured every 3-6 months in our patient population for 8 years. Recently, with the advent of the mRNA COVID 19 vaccines (vac) by Moderna and Pfizer, dramatic changes in the PULS score became apparent in most patients. This report summarizes those results. A total of 566 pts, aged 28 to 97, M:F ratio 1:1 seen in a preventive cardiology practice had a new PULS test drawn from 2 to 10 weeks following the 2nd COVID shot and was compared to the previous PULS score drawn 3 to 5 months previously pre- shot. Baseline IL-16 increased from 35=/-20 above the norm to 82 =/- 75 above the

norm post-vac; sFas increased from 22+/- 15 above the norm to 46=/-24 above the norm post-vac; HGF increased from 42+/-12 above the norm to 86+/-31 above the norm post-vac. These changes resulted in an increase of the PULS score from 11% 5 yr ACS risk to 25% 5 yr ACS risk. At the time of this report, these changes persist for at least 2.5 months post second dose of vac. We conclude that the mRNA vacs dramatically increase inflammation on the endothelium and T cell infiltration of cardiac muscle and may account for the observations of increased thrombosis, cardiomyopathy, and other vascular events following vaccination.

Here are Dr. Vernon Coleman's comments:

It's the 22nd November 2021 and this is the moment when the jabbing has to stop.

A couple of hours ago Darren Smith, the editor of the excellent The Light Paper, sent me a paper from the medical journal Circulation which proves that the covid-19 jabbing experiment has to stop today. I believe that any doctor or nurse who gives one of the mRNA covid jabs after today will in due course be struck off the appropriate register and arrested.

The journal Circulation is a well-respected publication. It's 71-years-old, its articles are peer reviewed and in one survey it was rated the world's no 1 journal in the cardiac and cardiovascular system category.

I'm going to quote the final sentence of the abstract which appears at the beginning of the article. This is all I, you – or anyone else – needs to know.

`We conclude that the mRNA vacs dramatically increase inflammation on the endothelium and T cell infiltration of cardiac muscle and may account for the observations of increased thrombosis, cardiomyopathy and other vascular events following vaccination.'

That's it. That's the death bell for the covid-19 mRNA jabs.

The endothelium is a layer of cells lining blood vessels and lymphatic vessels. T cells are a type of white cell.

We always knew these jabs were experimental. My video in December 2020, just under a year ago, warned about these specific risks. I read out a list of possible adverse events published officially by the American Government.

But now we have the proof of the link.

The mRNA jab is, remember, known not to stop people catching covid. And it is known not to stop people spreading it. I don't believe anyone disputes these facts.

And yet vast numbers of deaths and serious injuries have occurred among people who have been jabbed. Look at the item entitled '<u>Updated: how many are the vaccines killing</u>?' on my websites.

Now we have the evidence to stop the jabbing programmes.

In the study quoted in Circulation, a total of 566 patients aged 28 to 97 were tested. They were equally divided among men and women.

'At the time of this report,' says the author, 'these changes persist for at least 2.5 months post second dose of vaccine.'

At the very least, the use of these jabs must stop now. Immediately, until more long-term tests are done.

If there were any journalists left in the mainstream media, this news would be lead item on all TV and radio programmes and be on the front pages of all newspapers.

Thank heavens for free speech platforms such as BNT which enables me to bring you this news.

I've said for a year that this jab was an experiment – certain to kill and injure.

We've always known that to experiment on people without their full consent and understanding – after disclosing all the risks and potential side effects – is a crime.

Now the evidence exists that must stop this experiment.

If the covid jab experiment continues after today then we know for absolute sure that this is not a medical treatment, it is a cull.

Please share this video immediately with everyone you know.

Thank you.