
UK: Not Covid but Murder by Midazolam

Description

by Ben Bartee via [Armageddon Prose](#)

Excerpt

Australian politician releases evidence of potential government murder of tens of thousands of hospitalized elderly to pad COVID death numbers

National director of the United Australia Party, [Craig Kelly](#), has some shocking, if not surprising, allegations against the NHS in Great Britain.

Via [Slay News](#):

“A bombshell new report has sent shockwaves around the world after an investigation into the high numbers of “Covid deaths” during the pandemic uncovered evidence that tens of thousands of elderly people were actually murdered to boost the mortality rates.

The data produced for the report indicated that people were being euthanized using a fatal injection of Midazolam.

The cause of their deaths was then listed as ‘Covid,’ indicating that the virus was killing far more elderly people than it was.

The explosive data from the report was made public by Australian politician Craig Kelly, the national director of the United Australia Party.

The report obtained official UK government data on death rates and causes.

The data appears to show that vast numbers of elderly were murdered with an injection of the end-of-life drug Midazolam.

According to Kelly, the patients were euthanized in order to boost ‘Covid deaths’ and ramp up public fear to garner support for lockdowns and vaccines.

While alerting the public about the data, Kelly declared that it exposes ‘the crime of the century.’”

From the pre-print report, "[Excess Deaths in the United Kingdom: Midazolam and Euthanasia in the COVID-19 Pandemic](#)":

*“Macro-data during the COVID-19 pandemic in the United Kingdom (UK) are shown to have significant data anomalies and inconsistencies with existing explanations. **This paper shows that the UK spike in deaths, wrongly attributed to COVID-19 in April 2020, was not due to SARS-CoV-2 virus, which was largely absent, but was due to the widespread use of Midazolam injections** which were statistically very highly correlated (coefficient over 90 percent) with excess deaths in all regions of England during 2020...*

The widespread and persistent use of Midazolam in UK suggests a possible policy of systemic euthanasia.”

Midazolam, a benzodiazepine (the same class of drugs that includes Xanax and Valium), is often used to sedate hospitalized patients in the ICU. It's also — and anyone who has extensive firsthand experience with benzos like me can attest to this — extremely hazardous, *especially when it's mainlined directly into the bloodstream*, as it alleged to have happened at scale, as standard operating procedure for hospitalized COVID patient, in British hospitals throughout 2020 and 2021.

Via [MedicinePlus](#):

“Midazolam injection may cause serious or life-threatening breathing problems such as shallow, slowed, or temporarily stopped breathing that may lead to permanent brain injury or death. You should only receive this medication in a hospital or doctor's office that has the equipment that is needed to monitor your heart and lungs and to provide life-saving medical treatment quickly if your breathing slows or stops. Your doctor or nurse will watch you closely after you receive this medication to make sure that you are breathing properly. Tell your doctor if you have a severe infection or if you have or have ever had any lung, airway, or breathing problems or heart disease. Tell your doctor and pharmacist if you are taking any of the following medications: antidepressants; barbiturates such as secobarbital (Seconal); droperidol (Inapsine); medications for anxiety, mental illness, or seizures; opiate medications for cough such as codeine (in Triacin-C, in Tuzistra XR) or hydrocodone (in Anexsia, in Norco, in Zyfrel) or for pain such as codeine, fentanyl (Actiq, Duragesic, Subsys, others), hydromorphone (Dilaudid, Exalgo), meperidine (Demerol), methadone (Dolophine, Methadose), morphine (Astramorph, Duramorph PF, Kadian), oxycodone (in Oxycet, in Percocet, in Roxicet, others), and tramadol (Conzip, Ultram, in Ultracet); sedatives; sleeping pills; or tranquilizers.”

That's a *lot* of fatal contraindications for an older Western population statistically likely to be taking a *lot* of pharmaceutical drugs.

I'm no doctor — mere “conspiracy theorist,” “domestic terrorist” journalist I am, and proudly so — but one need not have attended medical school to suss out that benzodiazepines are very rarely well-conceived medical interventions, least of all *intravenously* for an elderly patient already struggling to breathe on a ventilator.

If, indeed, the accusations are true, midazolam would have been a perfect method of execution, as it's frequently used in such settings (so as not to arouse suspicion) and attributing the cause of death to the midazolam rather than COVID is a difficult task — especially in the context of willful ignorance. In international relations terms, this dilemma is termed “fog of war,” a reference to the difficulty of assigning proper attribution to the source of an attack in real time under battlefield conditions.

Ben Bartee, author of [Broken English Teacher: Notes From Exile](#), is an independent Bangkok-based American journalist with opposable thumbs.